# Tazewell County Public Service Authority "Leaders in Virginia"

Garland Roberts, Jr., Vice Chairman Rhudy Keith, Member



C. Don Dunford, Chairman Dahmon Ball, Administrator Aaron Roberts, Secretary/Treasurer Richard Smith, Member

JUN 2 3 2014 DEQ SWRO

June 20, 2014

Mr. Fred Wyatt Department of Environmental Quality 355-A Deadmore Street Abingdon, VA 24210

L

RE: Reissuance VPDES Permit No. VA0091588, Northern Tazewell County Wastewater Treatment Facility

Dear Mr. Wyatt:

This letter is in reference to our phone conversation on June 19, 2014 concerning the testing for permit renewal. As discussed we had trouble finding a lab to run the test after Reic let us know they couldn't do them.

We have contracted James R. Reed and Associates to do the testing. I will send the results as soon as we get them.

If you need anything further, please feel free to contact me at 276-945-9439.

Clifford (Todd) Little

Chief Operator

Sincerel

P.O. Box 190, North Tazewell, VA 24630

Phone: 276-988-1822

Fax: 276-988-2991

Web: www.tcpsa.org

# RECEIVED JUN 2 3 2014 DEQ SWRO

#### **VPDES PERMIT APPLICATION ADDENDUM**

1.	Entity to whom the permit is to be issued: A Zewell Coart Peblic Sevice Authority Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may not be the facility or property owner.
2.	Is this facility located within city or town boundaries? Y N
3.	Provide the tax map parcel number for the land where the discharge is located
4.	For the facility to be covered by this permit, how many acres will be disturbed during the next fine years due to new construction activities?
5.	What is the design average effluent flow of this facility? MGD For industrial facilities, provide the max. 30-day average production level, include units:
	In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Y/N  If "Yes", please identify the other flow tiers (in MGD) or production levels:
	Please consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to expand operations during the next five years? Is your facility's design flow considerably greater than your current flow?
5.	Nature of operations generating wastewater:
	/60 % of flow from domestic connections/sources  Number of private residences to be served by the treatment works:
	% of flow from non-domestic connections/sources
7.	Mode of discharge:ContinuousIntermittentSeasonal  Describe frequency and duration of intermittent or seasonal discharges:  SBR PIA-T = N/2 discharges under Tacks Decart
3.	Identify the characteristics of the receiving stream at the point just above the facility's discharge point:  Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry Ephemeral stream, wet-weather flow, often dry Effluent-dependent stream, usually or always dry without effluent flow Lake or pond at or below the discharge point Other:
Э.	Approval Date(s):  O & M Manual 10/10/2007 Sludge/Solids Management Plan
	Have there been any changes in your operations or procedures since the above approval dates? YN

#### VPDES Sewage Sludge Permit Application for Permit Reissuance **Instructions** WHO MUST SUBMIT THE APPLICATION - All facilities with a current VPDES Permit that authorizes the discharge of treated se that are applying for reissuance must complete and submit this application. Part 1 is general information to be provided by all facilities. DEO SWRO Part 2 must be completed by all facilities that generate Class A or Class B biosolids that are land applied. Part 3 must be completed by all facilities that land apply Class B biosolids. Part 1 – Sludge Disposal Management (To be completed by all facilities) VPDES Permit No: VA 00915 TAZEWELL COUNTS MMTP **Facility Name:** 1. Shipment Off Site for Treatment or Blending No Is sewage sludge from your facility sent to another facility that provides treatment or blending? Yes If you send sewage sludge to more than one facility, attach additional sheets as necessary. Shipment off site is: The primary method of sludge disposal A back up method of sludge disposal a. Receiving Facility Name b. Receiving Facility VPDES Permit No. c. Include an acceptance letter from the Receiving Facility. d. Receiving Facility's ultimate disposal method for sewage sludge Disposal in a Municipal Solid Waste Landfill Is sewage sludge from your facility placed in a municipal solid waste landfill? If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary. A back up method of sludge disposal Landfilling is: The primary method of sludge disposal Azemell (ounts LAND F:11 a. Landfill Name b. Landfill Permit No. c. Include an acceptance letter from the landfill. Incineration Is sewage sludge from your facility fired in a sewage sludge incinerator? T4No Incineration is: The primary method of sludge disposal A back up method of sludge disposal a. Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired? Yes Wo If yes, provide the Air Registration No. If no, complete items b - d for each incinerator that you do not own or operate. b. Facility Name c. Air Registration No. d. Include an acceptance letter from the Incinerator. Class A Biosolids Do you produce Class A biosolids for land application or distribution and marketing? If yes, complete Part 2. Are Class A biosolids from your facility land applied in bulk? ☐ Yes Do you sell or give away Class A biosolids in a bag or other container for application to the land? If yes, provide the VDACS certification number? Class B Biosolids Yes Yes Do you produce Class B biosolids? If yes, complete Part 2. TYes TNO Are Class B biosolids from your facility land applied land applied under the authorization of this VPDES Permit? If yes, complete Part 3. Land Application Under a Separate Permit ☐ Yes ☐ No Are biosolids from your facility land applied under the authorization of a permit other than your VPDES Permit? Biosolids are land applied under the authorization of a VPA permit Another VPDES Permit Out of State Complete items a - c for each VPA permit authorized to land apply biosolids from your facility. a. Permittee Name b. Permit No. c. Include copy of any information you provide to the Receiving VPDES or VPA Permittee to comply with the "notice and necessary information" requirement of VAC 25-31-530.F.

***********		
	VPDES Sewage Sludge Permit Application for Permit Reissuance	
Pa	art 2 – Biosolids Characterization (To be completed by all facilities that generate biosolids that are land appl	ied.)
	Have there been changes to sludge treatment processes or storage facilities since the previous permit issuance/reissuance?	☐ Yes ☐ No
2.	Do the biosolids generated under this permit that will be land applied meet one of the Class A pathogen requirements in 9 VAC25-31-710.A.3. through A.8 or Class B pathogen requirements in 9VAC25-31-710.B.1. through B.4.?	☐ Yes ☐ No
	Identify the pathogen reduction option utilized to demonstrate compliance with the pathogen reductions requirements and provide demonstrate compliance with the applicable alternative.	vide the data that
3.	Do the biosolids generated under this permit that will be land applied meet one of the vector attraction reduction requirements in 9VAC25-31-720.B.1. through 10?	☐ Yes ☐ No
	Identify the vector attraction reduction option utilized to demonstrate compliance with the vector attraction reductions requires the data that demonstrate compliance with the applicable alternative.	nents and provide
4.	Do the biosolids to be land applied meet the ceiling/pollutant concentrations in 9VAC25-31-540.B?	☐ Yes ☐ No
5.	Has data from the most recent 3 samples for pH (S. U.), Percent Solids (%), Ammonium Nitrogen (mg/kg), Nitrate Nitrogen (mg/kg), Total Kjeldahl Nitrogen (mg/kg), Total Phosphorus (mg/kg), Total Potassium (mg/kg), Alkalinity as CaCO <sub>3</sub> (mg/kg), Arsenic (mg/kg), Cadmium (mg/kg), Copper (mg/kg), Lead (mg/kg), Mercury (mg/kg), Nickel (mg/kg), Selenium (mg/kg), Zinc (mg/kg) been submitted to DEQ? The samples shall be no more than 4½ years old and each sampling date shall be at least 1 month apart.	Yes No
1114 <del>2 12 1</del> 2	If no, provide the data with this application.	
	art 3 – Land Application of Class B Biosolids (To be completed by all facilities that land apply Class B biosol	
	Provide to DEQ and to each locality in which biosolids are to be land applied, written evidence of financial responsibility. Eviron responsibility shall be provided in accordance with 9VAC25-31-100.P.9.	
2.	For each site, provide a properly completed landowner agreement for each landowner, using the most current Land Application Biosolids Form (VPDES Sewage Sludge Permit Application Form – Attachment to Section C).	n Agreement -
3.	Are any new land application fields proposed at this reissuance?	☐ Yes ☐ No
	If yes, contact the DEQ Regional Office for additional submittal requirements.	
4.	For the currently permitted land application fields, are the previously submitted site booklets, maps and acreage accurate.	☐ Yes ☐ No
	If no, contact the DEQ Regional Office for additional submittal requirements.	
5.	Does the facility's Biosolids Management Plan on file with DEQ include the following minimum information?	☐ Yes ☐ No
	a. An odor control plan that addresses the abatement of odors resulting from the storage and/or land application of biosoli	ds.
	b. A description of the transport vehicles to be used.	
	<ul> <li>Procedures for biosolids offloading at the land application site including spill prevention, cleanup (including vehicle cleareclamation, and emergency notification and cleanup measures.</li> </ul>	eaning), field
	<ul> <li>d. A description of the land application equipment including procedures for calibrating equipment to ensure uniform distrappropriate loading rates.</li> </ul>	ibution and
	e. Procedures used to ensure that land application activities address notification requirements, signage requirements, slope operation limitations during periods of inclement weather, soil pH requirements, buffer zone requirements, and site rest	
	f. Any other information necessary to ensure compliance with the requirements of the Biosolids Program of the VPDES F (9VAC25-31-420 through 720).	Permit Regulation
Ce	ertification	
des wh bel	pertify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance is signed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the penalties the system or those persons directly responsible for gathering the information, the information is, to the best of my known accurate, and complete. I am aware that there are significant penalties for submitting false information, including the dimprisonment for knowing violations.	erson or persons nowledge and
	Name and Official Title DAKMON BALL ADMING FIRATOR	
	Signature Signature	***
	Telephone number / Email (276) 988-2343 / Aballo Topsa.org	
	Date signed 07-22-14	
(Ba	ased on a review of this information, it may be necessary to submit additional information to meet other legal or technical review requirements.)	)

RECEIVED
JUL 2 8 2014
DEQ SWRO

TO WHOM IT MAY CONCERN;

THE TAZEWELL COUNTY LANDFILL ACCEPTS SEWER SLUDGE FROM THE FOLLOWING AREAS:

FALLS MILLS SEWER PLANT

**CLAYPOOL HILL SEWER PLANT** 

**POCAHONTAS SEWER PLANT** 

PLEASE FEEL FREE TO CALL WITH ANY QUESTIONS OR CONCERNS.

276-988-4310(OR) 276-988-4003

THANK YOU

QUINTO FALGIANI III

June 19, 2014

#### FACILITY NAME AND PERMIT NUMBER:

No Thern TAZENELL COUNTY UN WIT VAOD 91588

RECEIVED

JUN 2 3 2014 DEO SWRO

Form Approved 1/14/99 OMB Number 2040-0086

**FORM** 

2A NPDES

### NPDES FORM 2A APPLICATION OVERVIEW

#### **APPLICATION OVERVIEW**

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

#### **BASIC APPLICATION INFORMATION:**

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

#### SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
  - Has a design flow rate greater than or equal to 1mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
  - Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
  - All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  - 2. Any other industrial user that:
    - Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

#### ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

_	A CH	ITV	MARACE	ANIO	DEDMIT	NUMBER
-	Δ( :H	11 Y	NAME	DM11	PERMI	NI IBAHSH K

Form Approved 1/14/99

#### No Thein Azenell County MILTA VA0091588 OMB Number 2040-0086 BASIC APPLICATION INFORMATION PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS: All treatment works must complete questions A.1 through A.8 of this Basic Application Information Packet. A.1. Facility Information. NorThern TAZENEIL COURTE WINTP **Facility Name** Mailing Address Contact Person chief operation Title 1276, 945-9435 Telephone Number 2748 ROSENER GALL **Facility Address** Bluedield VAZ4605 (not P.O. Box) Applicant Information. If the applicant is different from the above, provide the following: A.2. TAZEMEN County Public Service Authority Applicant Name Mailing Address Contact Person Chief operATO Title Telephone Number (276) 945 - 943 9 Is the applicant the owner or operator (or both) of the treatment works? owner operator Indicate whether correspondence regarding this permit should be directed to the facility or the applicant. applicant facility Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to A.3. the treatment works (include state-issued permits). VA 00 51588 **PSD NPDES** Other UIC Other **RCRA** Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.). Ownership Type of Collection System Population Served SANITAL Semer TAZENCII COUNTY 850 Northern TARpaell Co 800

Total population served

FACILI	TY NAME	E AND PERMIT NUMBE	R:						
NorT	here j	Azenell county V	untp	VA 0091588					roved 1/14/9 er 2040-008
A.5.	•	n Country.		***************************************					
	a.	Is the treatment work	s located in I	ndian Country?					
		☐ Yes [	No						
	b.	Does the treatment w flows through) Indian	orks dischar Country?	ge to a receiving water	r that is either ir	n Indian Country or	that is upstream	from (and even	tually
		☐ Yes [	No						
A.6.	averag	Indicate the design flow e daily flow rate and max with the 12 <sup>th</sup> month of "th	imum daily fi is year" occu	low rate for each of the irring no more than thr	e last three vea	rs. Each vear's dat	a must be based	dle). Also provi on a 12-month	de the time
	a.	Design flow rate	mg	j <b>d</b>					
				Two Years Ago		Last Year	This '		
	b.	Annual average daily	flow rate	0.271		0.258	***************************************	247	***************************************
	C.	Maximum daily flow ra	ate	0.494		0.437		0.512	
A.7.	contrib	tion System. Indicate the ution (by miles) of each.  parate sanitary sewer mbined storm and sanitary		ollection system(s) us	ed by the treati	ment plant. Check		so estimate the %	percent
A.8.	Discha	rges and Other Dispos	al Methods.						
	a.	Does the treatment w	orks discharg	ge effluent to waters of	the U.S.?	Yes	□ N	0	
		If yes, list how many o	of each of the	following types of disc	charge points th	ne treatment works	uses:		
		i. Discharges	of treated ef	fluent					
		ii. Discharges	of untreated	or partially treated effl	uent		Production and the second	***************************************	
		iii. Combined s	sewer overflo	w points			P-10-7-6-7-1-10-7-10-7-7-10-7-7-10-7-7-7-7-7-7-7	***************************************	
		iv. Constructed	i emergency	overflows (prior to the	headworks)				
		v. Other _							
	b.		-	ge effluent to basins, po ge to waters of the U.S		urface impoundme	nts 💆 N	0	,
		If yes, provide the follo	owing for eac	ch surface impoundme	<u>nt</u> :				
		Location:			**************************************				
		Annual average daily	volume disch	arge to surface impou	ndment(s)	***************************************		mgd	
		Is discharge	] continuou	s or intermit	ttent?				
	C.	Does the treatment wo	orks land-app	oly treated wastewater	?		☐ Yes	□ No	
		If yes, provide the follo	wing for eac	h land application site:	;				
		Location:	***************************************						
		Number of acres:	***************************************						
		Annual average daily	olume applic	ed to site:		mg	gd		
		Is land application	ontini	uous or 🔲 inter	mittent?			,	
	d.	Does the treatment wo treatment works?	orks discharg	e or transport treated o	or untreated wa	stewater to another	Yes	□ No	

FACILITY NAME	AND PERMIT NUMBER:	
No-Thein Ti	Azemell County mutt VA0091588	Form Approved 1/14/9. OMB Number 2040-008
	If yes, describe the mean(s) by which the wastew other treatment works (e.g., tank truck, pipe).	rater from the treatment works is discharged or transported to the
	If transport is by a party other than the applicant,	provide:
	Transporter Name	
	•	
	Contact Dames	
	Title	
	Telephone Number ()	
	For each treatment works that receives this disch	arge, provide the following:
	Name	
	Mailing Address	
	Contact Person	
	Title	
	Telephone Number ()	
	If known, provide the NPDES permit number of th	e treatment works that receives this discharge
	Provide the average daily flow rate from the treatr	nent works into the receiving facility mgd
e.	Does the treatment works discharge or dispose of in A.8. through A.8.d above (e.g., underground pe	
	If yes, provide the following for each disposal met	nod:
	Description of method (including location and size	of site(s) if applicable):
	Annual daily volume disposed by this method:	

continuous or

intermittent?

Is disposal through this method

#### **WASTEWATER DISCHARGES:**

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

De	escription of Outfall.								
a.	Outfall number	****	-						
b.	Location	POCALOUTAS	LI		2 <i>96.5</i> (Zip Code)				
		(City or town, if application of the control of the	bie)		VA				
		(County)			(State)				
		(Lattitutde)			(Longitude)				
C.	Distance from shore (if a	applicable)	COMPRESSION AND A WARRANCE WARRANCE AND A STREET	0	ft.				
d.	Depth below surface (if	applicable)		ງ	ft.				
e.	Average daily flow rate		. 7	200	mgd				
f.	Does this outfall have ei discharge?	ther an intermittent or a p	eriodic Yes	4 No	(go to A.9.g.)				
	If yes, provide the follow	ing information:							
	Number f times per year	discharge occurs:	de suppression property and services are services and services and services and services and services are services are services and services are services and services are services are services and services are services are services are services are services are ser						
	Average duration of each	h discharge:	NEW PROPERTY OF THE PROPERTY O		sistepon				
	Average flow per discha	rge:	manuscon constitue de la primer de la constitue de la constitu		mgd				
	Months in which dischar	ge occurs:	\$25.4000cm; (\$1000cm; \$1000cm;	·····	and the same of th				
g.	Is outfall equipped with	a diffuser?	Yes	☐ No					
. De	escription of Receiving Water	rs.							
a.	Name of receiving wate		Anrel 1 River	Fork					
b.	Name of watershed (if k	nown) Ne 6	· River						
	-		watershed code (	if known):	Mark Angelone (Angelone (A				
c.		United States Soil Conservation Service 14-digit watershed code (if known):  Name of State Management/River Basin (if known):							
		United States Geological Survey 8-digit hydrologic cataloging unit code (if known):							
d.	_	ving stream (if applicable)	)						
		ring stream at critical low	flow (if applicable	):	mg/l of CaCO <sub>3</sub>				

ACILIT	TY NAME	AND PERM	IIT NUMBEI	R:						r <sub>o</sub> ,	rm Anarouad 1/14/00
NorT	her T	Azenell	Counts 1	matp	VA00915	88				OME	rm Approved 1/14/99 3 Number 2040-0086
A.11.		iption of Ti									
	a.	What lev	els of trea	tment are pro	vided? Chec	k all that a	apply.				
		Prim	nary		Secondary						
		☐ Adva	anced		Other. Desc	ribe:					
	b.	******		ng removal r	ates (as applio	cable):					
				noval <u>or</u> Design CBOD5 removal				85			,
		_	SS remova				puggitolopanium	85			1
		•	P removal							%	,
	Design N removal							85		%	)
		Other					president			%	)
1	C.		ne of disinf	fection is use	d for the efflue	ent from th	nis outfall?	If disinfection va	ries by seasor	n, pleas	e describe:
	O.	v v nat ty	po 0, alo		uV					alegoryzáské kelék kelek k	
		If disinfe	ection is hy	chlorination	is dechlorinat	ion used f	or this outfa	ll?	Yes		No
	d.				chlorination is dechlorination used for this ou plant have post aeration?				Yes		No
	u.	ביים ביים	e treatmer	it plant nave	poor aoranoir.	•					
Outfall	requi data I numbe	must be ba	er standar ased on at	least three	samples and	must be	no more th	CFR Part 136. an four and on	e-half years a	apart.	•
	DAD	ARACTED		MAXIMUM	DAILY VAL	UE		AVERAGE	DAILY VAL	UE.	
	PAR	AMETER		Value			Value	Unit	s Nu	Number of Samples	
nLI /NA	inimum)			7.1	s.u.						
<u> </u>	laximum			7.5	s.u.						
Flow F		,		.281	MGD	.17.		MGC	>	3	
	erature	(Winter)		8	30		7	C.	3		
	erature	(Summer)		21	°C		21	<u> </u>		3	
		THE RESERVE OF THE PARTY OF THE	THE PART OF STREET		a maximum da		VERAGE	DAILV	ANALYTIC	:Δ1	ML/MDL
	PO	LLUTANT			MAXIMUM DAILY DISCHARGE		DISCHA		METHO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
			Conc.	Units	Conc.	Units	Units Number of Samples				
CON	VENTI	ONAL ANI	D NON C	ONVENTIO	NAL COMP	OUNDS		·	T		
BIOCH	HEMICAL	OXYGEN	BOD5						C		
DEMA	ND (Rep	oπ one)	CBOD5		MG/L	3.5	M6/L	3	SM5401		
	AL COLI		E-c-1:	5.1	MG/C	7.2	MG/L	3	Sm 25400		
TOTAL SUSPENDED SOLIDS (TSS)			DS (TSS)	10.5	MG/L	7.4	MG/L	3	P#1 0 700	-1111	

FACI	LITY NAME AND PERMIT NUMBER:
	Form Approved 1/14/99 OMB Number 2040-0086
BAS	SIC APPLICATION INFORMATION
PAR	RT B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).
All a	pplicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).
B.1.	Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.
	2 <i>0,=00</i> gpd
	Briefly explain any steps underway or planned to minimize inflow and infiltration.
	ON GOING INSPECTION OF SYSTEM AND REPAIR.
B.2.	<b>Topographic Map.</b> Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)
	a. The area surrounding the treatment plant, including all unit processes.
	b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
	c. Each well where wastewater from the treatment plant is injected underground.
	d. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within ¼ mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
	e. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
	f. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where the hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
B.3.	Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.
B.4.	Operation/Maintenance Performed by Contractor(s).
	Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor?  Yes  No
	If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).
	Name:
	Mailing Address:
	Telephone Number:
	Responsibilities of Contractor:
B.5	Scheduled improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)

Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

No No


Yes

FACILITY NAME AND PERMIT NUMBE	R:						Form Approved 1/14/99 DMB Number 2040-0086
c. If the answer to B.5.b is "Yes	s," briefly desc	cribe, including	new maxim	um daily inflo	w rate (if applicab	ile).	
d. Provide dates imposed by a applicable. For improvemer applicable. Indicate dates a	its planned inc	dependently of spossible.	local, State,	tes of comple or Federal a	gencies, indicate	planned or actual comp	pelow, as pletion dates, as
		Scheduk			Actual Co	•	
Implementation Stage		MM/DD/	<u> </u>		MM/DD/Y	1	
- Begin Construction		ANGEO-HALTANIS ANGEO-HALTANIS ANGEO-HALTANIS ANGEO-HALTANIS ANGEO-HALTANIS ANGEO-HALTANIS ANGEO-HALTANIS ANGEO		goografije biekeld Micheley	ngay magay pangang pangang banda kananan pangang maga bana	and and a second	
- End Construction		#ZWickelate/Pala		AnnadoSenaSignOSPidt	pursus processing and describe a describer of the state o		
- Begin Discharge		SWEETS-ADDRESS - COLUMN AND AND AND AND AND AND AND AND AND AN	The state of the s	waaran and add and	Martin Control of the		
- Attain Operational Level		Machine Control of the Control of th	1	nocupation of the second			٦
e. Have appropriate permits/cl	earances con	cerning other Fo	ederal/State	requirement	s been obtained?	∐ Yes L	_ No
Describe briefly:							
least three pollutant scans, prefe Outfall Number:	MAXIM	UM DAILY HARGE Units		VERAGE DISCHA Units	DAILY	ANALYTICAL METHOD	ML/MDL
					Samples		
CONVENTIONAL AND NON CO		1 .		T 1	1	C	
AMMONIA (as N)	3.2	m6/L	2.8	M6/L	3	EPA 350.1 Rev 2 1953	
CHLORINE (TOTAL RESIDUAL, TRC)							
DISSOLVED OXYGEN							
TOTAL KJELDAHL NITROGEN (TKN)							
NITRATE PLUS NITRITE NITROGEN							
OIL and GREASE							
PHOSPHORUS (Total)							
TOTAL DISSOLVED SOLIDS (TDS)							
OTHER							
DEEED TO THE APPLIC	ATION C		OF PA		VE WHICH	OTHER PARTS	OF FORM

2A YOU MUST COMPLETE

ELOUIT/ALANE AND DEDMIT NUMBER.	
FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99
NorThern TARGUELL COUNTS WWTP VA 00915	7 8 8 OMB Number 2040-0086
BASIC APPLICATION INFORMATION	
PART C. CERTIFICATION	
applicants must complete all applicable sections of Form 2A, as explain	tions to determine who is an officer for the purposes of this certification. All ned in the Application Overview. Indicate below which parts of Form 2A you have applicants confirm that they have reviewed Form 2A and have completed all
Indicate which parts of Form 2A you have completed	d and are submitting:
Basic Application Information packet	Supplemental Application Information packet:
	Part D (Expanded Effluent Testing Data)
	Part E (Toxicity Testing: Biomonitoring Data)
	Part F (Industrial User Discharges and RCRA/CERCLA Wastes)
	Part G (Combined Sewer Systems)
ALL APPLICANTS MUST COMPLETE THE FOLLOWING CE	RTIFICATION.
designed to assure that qualified personnel properly gather and evalual manage the system or those persons directly responsible for gathering	tre prepared under my direction or supervision in accordance with a system te the information submitted. Based on my inquiry of the person or persons who the information, the information is, to the best of my knowledge and belief, true, for submitting false information, including the possibility of fine and imprisonment
Name and official title DAHMON BALL	-Q $M$
Signature	l Dall
Telephone number (276) 988-2243	3
Date signed 06 - 20 - 14	
Upon request of the permitting authority, you must submit any other info works or identify appropriate permitting requirements.	ormation necessary to assure wastewater treatment practices at the treatment

#### SEND COMPLETED FORMS TO:



NORTHERN TAZEWELL WASTEWATER TREATMENT FACILITY

FOR THE

TAZEWELL COUNTY BOARD OF SUPERVISORS



SHEET EXHIBIT I


# Northern Tazewell Wastewater Treatment Facility ADDITIONAL INFORMATION

# NPDES FORM 2A SECTION B.3 SLUDGE PERMIT APPLICATION SECTION A.6

Raw sewage enters the pretreatment unit from the main pump station. Within the unit, sewage passes through a mechanical screen. The flow goes through a hydraulic vortex grit removal system before leaving the headworks.

After preliminary treatment, the sewage enters a splitter box. The splitter box divides the flow between two sequencing batch reactors (SBRs), which provide aeration, clarification, and removal of nutrients and suspended solids. Waste activated sludge is pumped into two aerobic digesters. Once the sludge is stabilized, it is pumped to a sludge press. The dewatered sludge is taken to Tazewell County Landfill for disposal.

The effluent from the SBRs will flow into a post equalization basin. Next, the flow passes through an ultraviolet light disinfection system. The flow is directed through a parshall flume with an ultrasonic level sensor and then to post aeration. Effluent leaving the system is directed through an outfall line to Laurel Fork.



DESIGNED BY	SCALE NOT TO SCALE
ORAWN BY D.J.L. PROJECT NO.	DATE
784813	SEPT. 2004

## **SCHEMATIC**

FOR THE

NORTHERN TAZEWELL COUNTY WASTEWATER TREATMENT FACILITY



SHEET EXHIBIT П